





Product short description:

Orkan NBC2 - Jet shower designed for therapeutic treatments using mechanical and thermal properties of water (Scottish Whips). Thanks to the stimuli caused by the water jet and the rapid change of temperature, the therapy is characterized by various effects on the patient's body, including stimulation or sedation, hardening, increasing or decreasing blood pressure.

Delivery time is 8-12 weeks.

Product gallery:











Product description:

Orkan NBC2 - Jet shower

Orkan NBC2 jet shower is designed for therapeutic treatments using the mechanical and thermal properties of water. Thanks to the stimuli produced by the water jet and the rapid temperature changes, the therapy is characterized by various effects on the patient's body, including stimulation or sedation, soothing, increase or decrease in blood pressure.

During the procedure, the patient's body is subjected to a strong stream of water and spray temperature.

The jet is directed at the patient with the help of nozzles. To adjust the type of treatment, use a hose with an appropriate nozzle - for example, for pouring. During the shower, the therapist has the ability to dynamically change the temperature, which supports the therapeutic effect of the whips.

Usage of the Orkan NBC2 jet shower:

rheumatic diseases of muscles and joints

sciatica

functional disorders of the stomach and intestines

Free-standing console (permanently installed), made of plastic reinforced with glass fibre

Water system consists of copper tubes and hoses braided with acid-resistant steel.

Thermostatic mixer knob for smooth warm water temperature control

Thermostatic mixer knob for smooth cold water temperature control

Quick water temperature adjustment lever allowing for switching between warm water and cold water from the thermostates

Manometer, thermometer

3 rubber hoses with nozzles (for pouring, for concentrated and diffused stream of water)

3 pressure adjustment or shut-off valves (independent for each hose)

4 adjustable feet for leveling the device

With pump which switches on when the pressure decreases below 1.3 bar, and switches off when the pressure exceeds 3.3 bar

Power-on and pump operation indicator lights

Power switch of the pump

Technical data

Hot and cold water pressure [bar]:	4-6



Max. hot water temperature [°C]:	60
Power supply [V/Hz]:	230/50
Power consumption NBC2E [A]:	4
NBC2E dimensions (H x W x L) [cm]:	99 x 69 x 58

Before making a purchase, please read the installation card (see the Attachments tab) and make sure about the transport route of the device, taking into account its dimensions and weight.

_											
u	r	$\hat{}$	~		\sim	•	^	$\boldsymbol{\smallfrown}$	~	\sim	•
г	•	v	u	u	u	L	U	v	u	es	э.

Reference: 01-NAT-0306-001

EAN13: -UPC: -

Product features: Product attributes: